

# SOUTH PRODUCTION NOTES

August 23, 2016

3-11 Shift Notes

**BASF EMPLOYEES**

255 Last Recordable

338 Last Lost time

## Title V Notes:

Trimer – Down. Issues with Stage one.

B9 Sump – Floor CRT needs to walk a couple times per shift to check for overflow.

F2 – Need to check each shift. WOW to check water auto-fill. Currently running on a constant overflow due to pH issues.

Sly – Blower motor is getting loud. W.O.W.

NOx/CO system –Alright lately.

#8 DC – Filters have been changed out. Need to discuss why powder is not transferring down the discharge pipe.

## Work To Be Done in the Department:

- Remove Haz-Waste drums.
- Clean decking on 2<sup>nd</sup> floor bldg 31 between spiral elevators.
- need to get the Cu 1230 repacked

## #1 MED / D 1780:

It looks like we are still getting powder through the valve causing issues with batches. Gem has been contacted to repair.

WOW for dryer not staying lit.

Also looking into having the dryer bed interlocked with the burners, so when they kick out the dryer stops. Rob T has been contacted, will probably need an MOC for this mod.

Locked out the diverter valve to the calciner hopper.

## #1 RC / Cu 0865:

The bags must be fed to the calciner in bag order. Remember to use the log sheet every time you hang a bag. Engineer working on nailing down the final packaging size. Cannot find bag 9 of lot 158. Check MOD for additional notes. Engineer would like to line out the calciner on bags then switch over to drums.

## #2 MED line / D 0768:

Continue with cleanup sheet. Goal to get done by Wednesday for Schirmer to soda blast.

Remove auger barrel and take to maintenance to have liners switched out.

Install newer auger.

WO in for leaking spiral elevator.

### **#2 RC / D 0768:**

Holding for engineering. We had the screener skim over again this morning at 6am causing another spill. Fresh 6M screen installed as oversized. Feed also will be left off until the valve to the cto/f1 is fixed, it will not actuate. Lot 249 SS#14 needs to be repacked the liner fell in (hold until the end). Bag was remade on 2<sup>nd</sup> shift. Partial from old runs need to be fed at end once temps are brought down.

### **#3 MED line / D-1780 LAQ:**

Page repaired Spiral this morning but left a drill on the top of the spiral. Have them remove the drill before starting up the spiral, Call Made to Paul. Bottom piping below filter receiver and Vacuum pump discharge areas are difficult to keep clean – see Andrea's e-mail. Kirk is looking into getting the scale head for the liquid weigh tank replaced because it keeps losing memory when it is powered down. Need to be sure that we are greasing the end seals once a shift.

### **#3 RC / D-1780 LAQ:**

Stopped feeding due to wanting to inspect the CTO. When we tried to switch over to the F1 the valve will not actuate. Kirk has been contacted to resolve the issue. WO was not written. Need to replace the transition sock to the calciner. Will talk about shutting down early next week or possibly wrapping with a second cloth. Contaminated bag ok to feed. Remember these bags are coming from #1 MED. Make sure to seal pouches on labels (we have had a few fall out).

### **#4 RC / Ni-4322 Next:**

Temps down due to Trimer issues. Do not let the hopper run low, feed rate on calciner will be affected. Keep an eye on this product and the Trimer due to high NOx.

### **#5 RC / Cu 0539 Next:**

Cleaned. Still holding. Evaluating whether or not we need to send to the Trimer. 5A after filter gauge to be installed Monday. Also need after filter replaced. Keep dust collectors locked out until then. When running, feed Hopper should not be filled past 2 feet below the top to allow room for blowdowns. HEPA filter was last changed out 6-11-16 on day shift.

### **#6 RC & Dryer / D-0257:**

Continue feeding. Need to get drums on the 1<sup>st</sup> floor refed. Make sure fines drum on the feed end is checked several times per shift and open the slide gate to empty it. Material will leak from the seals and on to the floor when it backs up.



**Please make sure all bags are labeled on both sides and the tops have been wire tied closed. Also all bags must be check weighed.**

**Sly scrubber is having communication issues, Rob is working on.**

### **West Pfaudler / Ni 4322:**

**Lid has been installed. Pfaudler has been washed out.**

**Will possibly start up the 1/8 material tomorrow. May dry in National, Engineer to advise.**

### **East Pfaudler / D-0257:**

**Continue making batches as needed to support RC#6.**

### **6 Tank / Ni 4322 (Nickel nitrate):**

**Steam on tank is ok. Continue to monitor tank once a shift to keep from crystalizing.**

### **7 Tank / Ni 4322 (Nickel Nitrate):**

**Tank was emptied and rinsed.**

### **National Dryer / Ni 4322:**

**Done feeding and buggies have been scraped out.**

**Temp has been lowered to 90.**

### **PK Blender / Pill mix:**

**Hold off on making more Pill Mix. Clean out building 9 of pill mix supplies. Clean blender.**

**Contact Group Leader before using any water in building 9 or before unlocking sumps. They have all been locked out with Blue operational locks.**

**Check bag house DP before starting each batch.**

**Flow meter is installed but not calibrated yet. DO NOT USE**

**DP Gauge should be set at 3.5 and 4.25.**

### **Abbe Blender:**

**Abbe has been rinsed (the tank and the lines).**

### **Tower 3 / Cu 0860:**

**Tower is down. Zn will start next week.**

### **Tower 6 / Zn 0313:**

**Tower is down. Tower has been washed down. Hoist chain has fallen out. Needs further troubleshooting.**

### **North Screener / ?:**

Installing new hoist system now. PSSR has been done. Need to finish a few start up items before starting to use.

### **South Screener / Cu 0860:**

Screener needs unlocked, and alcohol will need to be set up, then we can screen.

Stretch wrapper is working. Please wrap your drums as full pallets are made.

See GL or Kristen for quick informational session on how to operate.

If you wash down drums with water you need to dry them off – the green drums are very prone to rust.

### **#2662 (west) Pill Machine / AI 3915:**

Out of feed. Cleaning as able

### **#2664 (east) Pill Machine / AL 3915:**

Out of feed. Cleaning as able

### **TK #2 / ?:**

Done. Leave the saggars on – Next Product?

### **TK #4 / Switching to cu-2508:**

Clean out screener and switch over sagger to the Cu-2508 saggars.

Load pattern is ½ on bottom with 6 full on top MOD was dropped off today.

Started on car 13. Currently stopped

### **Harrop Kiln / AI-3920:**

Continue running. 1 full and a partial left

We need to stop feeding hot material to the screener by making a large pile on the top of the screener then turning it on after the material has cooled. By overloading the screener we are causing the product to not screen correctly and this putting us out of spec on this material. We must now rescreen a bunch of material we have already made. Please allow cars to come around and cool, and feed the screener only if you are able to keep the screener running.

### **Building 27 Belt Filter / Cu 6081:**

Continue. 103 is last batch. When finished follow cleaning instructions for 5020 up next. Do not use the taller, thinner cardboard sleeves, those are for LIB.

We have switched to 188 lined super sacks. These will need cardboard sleeves around them and new clean pallets.

**Top 11 are important enough to keep running and staffed, top 7 cannot afford to have additional production interruptions.**

**1) #4 RC/Trimer/West Pfaudler/National Dryer**

**2) #1 RC South (Cu-0865 T)**

**3) #6 RC/East Pfaudler**

**4) #5 RC/Trimer**

**5) #1 RC North**

**6) North CUAPV (to keep #1 RC North running)**

**7) North PK/Wyssmont**

**8) #3 MED/RC/CTO – Use #1 MED if #3 MED has any issues in keeping up with #3RC**

**9) #2 MED/RC**

**10) South Precip/APV**

**11) Reduction Towers/Screening**

**12) Kneader**

**13) PR2 Cu-1152 T**

**14) Horne Machines Al-3915 T to run out any remaining pill mix**

**15) Harrop Kiln**